


**DMInteract**<sup>®</sup>

From Visualization to Collaboration

DMInteract<sup>®</sup>  
Video walls  
Brochure

55"  
46"



Hotels, shopping malls, conference centers, restaurants and retail clients want to be different from their competitors. Managers and owners are in search of diverse and new ways for publicizing their services and goods while maintaining creativity along with cost. This is where DMInteract® raises the bar of LED displays by combining dazzling displays with rugged construction, minimum viewing distances and easy set up maintenance.

DMInteract's portfolio consists of professional grade and high quality commercial digital video wall solutions are a unique solution for informational and digital signage wall applications. Our video walls are made with High Definition Resolution, combined with LED backlighting and ultra-narrow bezels, makes installation simpler along with astonishing and bright video walls.

DMInteract® Video Walls lets client enhance their imaginations at a reasonable price. It is a wise decision to purchase from us since clients have the power to configure them as per their needs. From various sizes to choose from, clients are able to make their own eye – catching video walls. The video walls from DMInteract® are available in 46" and 55" sizes and can be placed into arrays to create the right digital signage. Our video walls are made to assist businesses having limited space to make memorable video walls. Upgraded picture quality, improved wall color calibration and crystal clear high resolution pictures make up an enjoyable viewing experience.

Clients are able to design video walls with Full High Definition (FHD) Picture Quality. DMInteract® comes with a thin bezel of 3.5 mm which makes the borders virtually invisible and gives smooth visuals. Thus, DMInteract® Video Walls are rightly geared for converting the customer's brand message into a big impact, attention grabbing campaigns.

DMInteract's are made to consume less power as compared to other products, thus reducing costs. Our video walls can assist customers to:

- Grab attention of potential consumers with augmented color calibration
- Control the content and display
- Reduction of costs while marketing services and goods via striking medium
- Go big! It's now easy to expand your HD image across the video wall without using any external software or hardware
- Ultra – Thin Bezel Design: Produce seamless video wall by reducing the image gap our ultra-thin bezel units where the width is as low as 3.5 mm
- Uniform brightness

DMInteract® provides high cutting edge video technology with improved pixel contrast ratio which processes darker images to retain shadows. With the video processor unit, mounts and the right technical team DMInteract® Video Walls are the most cost effective solution available in Middles East and Africa.



## Specifications

Model No.	DM-Vwall46"	DM-Vwall55"
Panel Size	46" SAMSUNG DID (narrow bezel 3.5 mm, LED Backlight)	55" SAMSUNG DID (narrow bezel 3.5 mm, LED Backlight)
Aspect Ratio	16:9	16:9
Max Resolution Support	1920 x 1080	1920 x 1080
Color	8 Bit, 16.7M	8 Bit, 16.7M
Brightness (nits)	450 cd/m <sup>2</sup>	450 cd/m <sup>2</sup>
Contrast	3500:1	3500:1
Visual Angle (H/V)	178°	178°
Response Time	<=6 ms	<=6 ms
Life (Hrs)	>60,000 (Hrs)	>60,000 (Hrs)
<b>Video Wall Controller</b>		
Model No.	PVD-P817W	PVD-P817W
HDMI in	1	1
VGA in	1	1
Composite Video Input(AV)	1 (BNC)	1 (BNC)
Composite Video Output	1 (BNC)	1 (BNC)
Control signal input and loop out	RS232 (RJ45-8)	RS232 (RJ45-8)
Split Screen	Support Picture in Picture (PIP/POP)	Support Picture in Picture (PIP/POP)
<b>Power</b>		
Power Supply	AC100V~240V	AC100V~240V
Maximum Power Consumption	250W	250W
Standby Power Consumption	<=3W	<=3W
<b>Temperature</b>		
Working Temperature	0°C~50°C	0°C~50°C
Working Humidity	20 %-80%	20 %-80%
Packing size	1390*280*950 mm	1390*280*950 mm
Weight	45 Kg	45 Kg